Testinside 640-802 v2010-01-19(50 Q&As)

1.~A wireless client cannot connect to an $802.11b/g$ BSS with a b/g wireless card. The client section of the access point does not list any active WLAN clients. What is a possible reason for this?
A. The incorrect channel is configured on the client.
B. The client's IP address is on the wrong subnet.
C. The client has an incorrect pre-shared key.
D. The SSID is configured incorrectly on the client.
Answer: D
2. A network administrator issues the ping 192.168.2.5 command and successfully tests connectivity to a host that has been newly connected to the network. Which protocols were used during the test? (Choose two.)
A. ARP
B. CDP
C. DHCP
D. DNS
E. ICMP
Answer: AE
3. A national retail chain needs to design an IP addressing scheme to support a nationwide network. The company needs a minimum of 300 sub-networks and a maximum of 50 host addresses per subnet. Working with only one Class B address, which of the following subnet masks will support an appropriate addressing scheme? (Choose two.)
A. 255.255.255.0
B. 255.255.255.128
C. 255.255.252.0
D. 255.255.255.224
E. 255.255.255.192
F. 255.255.248.0
Answer: BE

4. Identify the four valid IPv6 addresses. (Choose four.)
A. ::
B. ::192:168:0:1
C. 2000::
D. 2001:3452:4952:2837::
E. 2002:c0a8:101::42
F. 2003:dead:beef:4dad:23:46:bb:101
Answer: ABEF
5. Which two of these statements regarding RSTP are correct? (Choose two.)
A. RSTP cannot operate with PVST+.
B. RSTP defines new port roles.
C. RSTP defines no new port states.
D. RSTP is a proprietary implementation of IEEE 802.1D STP.
E. RSTP is compatible with the original IEEE 802.1D STP.
Answer: BE
More 50 questions download
[This hidden content is only available for our VIP member. Become VIP Member NOW