

Testinside 640-802 v2010-01-19(50 Q&As)

1. A wireless client cannot connect to an 802.11b/g BSS with a b/g wireless card. The client section of the access point does not list any active WLAN clients. What is a possible reason for this?

- A. The incorrect channel is configured on the client.
- B. The client's IP address is on the wrong subnet.
- C. The client has an incorrect pre-shared key.
- D. The SSID is configured incorrectly on the client.

Answer: D

2. A network administrator issues the ping 192.168.2.5 command and successfully tests connectivity to a host that has been newly connected to the network. Which protocols were used during the test? (Choose two.)

- A. ARP
- B. CDP
- C. DHCP
- D. DNS
- E. ICMP

Answer: AE

3. A national retail chain needs to design an IP addressing scheme to support a nationwide network. The company needs a minimum of 300 sub-networks and a maximum of 50 host addresses per subnet. Working with only one Class B address, which of the following subnet masks will support an appropriate addressing scheme? (Choose two.)

- A. 255.255.255.0
- B. 255.255.255.128
- C. 255.255.252.0
- D. 255.255.255.224
- E. 255.255.255.192
- F. 255.255.248.0

Answer: BE

4. Identify the four valid IPv6 addresses. (Choose four.)

A. ::

B. ::192:168:0:1

C. 2000::

D. 2001:3452:4952:2837::

E. 2002:c0a8:101::42

F. 2003:dead:beef:4dad:23:46:bb:101

Answer: ABEF

5. Which two of these statements regarding RSTP are correct? (Choose two.)

A. RSTP cannot operate with PVST+.

B. RSTP defines new port roles.

C. RSTP defines no new port states.

D. RSTP is a proprietary implementation of IEEE 802.1D STP.

E. RSTP is compatible with the original IEEE 802.1D STP.

Answer: BE

More 50 questions [download](#)

[This hidden content is only available for our VIP member. Become VIP Member NOW]