


[Feb-2016 Update Valid PassLeader 205q 2V0-620 Exam Questions With VCE and PDF Download (41-60)]

Where Download The 100% Valid 2V0-620 Exam Dumps? PassLeader now is offering the newest and valid 205q 2V0-620 exam questions for preparing 2V0-620 exam, we ensure our new version 205q 2V0-620 pdf dumps and vce dumps are 100% valid for passing 2V0-620 exam, because PassLeader 2V0-620 PDF dumps and VCE dumps have been updated with the newest 2V0-620 questions and the 2V0-620 dumps have been corrected with right questions and answers. Now visit passleader.com to get the newest 205q 2V0-620 practice tests with free VCE Player! keywords: 2V0-620 exam, 205q 2V0-620 exam dumps, 205q 2V0-620 exam questions, 2V0-620 pdf dumps, 2V0-620 vce dumps, 2V0-620 study guide, 2V0-620 practice test, vSphere 6 Foundations Exam

Why Not Try
Pass4sure
↓
173 Q&As
Price: **\$125.95**

QUESTION 41 Refer to the Exhibit. A vSphere 6.x Standard Switch is configured with 4 virtual machine portgroups, as shown in the exhibit.



Which portgroup would be utilized by default when creating a new virtual machine? A. Access Network B. DMZ Network C. VM Network D. Virtual Machine Network Answer: A QUESTION 42 An administrator reports that the System Event log data is only available for 24 hours when reviewing the Hardware Status tab. Which condition could be responsible for the loss of data? A. A Reset event log was executed. B. The statistical collection level was set to a value of 1. C. The boot disk of the host is corrupt. D. Syslog has been configured at the vCenter Server level. Answer: A QUESTION 43 A vApp is running out of compute resources when overall activity is high within the resource pool. At other times, everything is fine. What should be done to resolve this issue? A. Increase the size of the resource pool Shares. B. Set the vApp's CPU and Memory Reservation Type to Expandable. C. Set the vApp's CPU and Memory Limit to Unlimited. D. Create a new resource pool with the existing hardware configuration. Answer: B QUESTION 44 An administrator logs into the vSphere Web Client, but is unable to see any hosts and clusters. Which two options could fix the problem? (Choose two.) A. Verify that the client web browser and vCenter Server are in the same broadcast domain. B. Verify that the vCenter Server system is registered with the same Platform Services Controller as the vSphere Web Client. C. Log in to the vCenter Server as a user within the Active Directory domain. D. Log in to the vSphere Web Client as a user with permissions on the vCenter Server system. Answer: BD QUESTION 45 What component must be installed prior to deploying a vCenter Server in vSphere 6.x? A. vCenter Identity Services B. Platform Services Controller C. vCenter Single Sign-On D. Client Integration Plug-In Answer: B QUESTION 46 An administrator deploys vRealize Operations into a vSphere 6.x environment. After the deployment, the

administrator notices that badges are not appearing. What is a likely cause of this behavior? A. Badges do not appear until you register vRealize Operations with vCenter Server. B. Badges do not appear until you register a vCenter Server in vRealize Operations. C. The vRealize Operations appliance needs to be redeployed. D. The vCenter Server appliance needs to be redeployed. Answer: A

QUESTION 47 What are two possible causes of Storage Distributed Resource Scheduler (SDRS) being disabled on one or more virtual machine disks in a datastore cluster? (Choose two.) A. The virtual machine has vSphere Fault Tolerance disabled. B. The virtual machine is a template. C. The virtual machine swap file is on a shared datastore. D. The disk is a CD-ROM/ISO file. Answer: BD

QUESTION 48 You are editing the management network configuration of an ESXi 6.x Host from the vSphere Web Client. You mistakenly put the incorrect VLAN in place for the management network. What action do you need to take to correct this? A. You need to manually edit the configuration on the host with command line utilities. B. No action is required. By default ESXi rolls back configuration changes that disconnect the host. C. The ESXi host system configuration will need to be restored to the factory configuration to fix the issue. D. The change can be reverted in the vSphere Web Client by simply editing the switch again. Answer: B

QUESTION 49 An administrator has just configured the IP address on an ESXi host from the Direct Console User Interface. How can the configuration be validated as correct without any additional tools? A. Add the host to vCenter Server and if it works, then all networking settings are ok. B. Select the Test Management Network option from the DCUI. C. Connect to the host with the vSphere Client and click the Test Network option. D. Use PowerCLI to connect to the host and initiate a network test. Answer: B

QUESTION 50 An organization has an ESXi 6.x host that contains two resource pools. The host is being relocated to a DRS cluster. What two actions can be taken to integrate the host into the cluster, and what would happen to the existing ESXi resource pool hierarchy as a result? (Choose two.) A. Place all of the host's virtual machines into the DRS cluster root resource pool. The resource pools present on the host will be deleted. B. Create a resource pool for the ESXi host's virtual machines and resource pools. The resource pools present on the host will be deleted. C. Place all of the host's virtual machines into the DRS cluster root resource pool. The resource pools present on the host will be preserved. D. Create a resource pool for the ESXi host's virtual machines and resource pools. The resource pools present on the host will be preserved. Answer: AD

Why Not Try **PassLeader** New Premium 2



173 Q&As
Price: \$125.99



Leader of IT Ce

BONUS !!!
Free VCE Player
205
Price:
Coupon Code -- CEL

<http://www.passleader.com/2v0-620.html> QUESTION 51 An administrator has configured an alarm to be notified when a virtual machine meets either of these conditions: High virtual CPU. High active memory consumption. The alarm is only triggering when both of the conditions are met. What can be done to correct the alarm behavior? A. Edit the alarm and select Trigger if ANY of the following conditions are satisfied. B. Edit the alarm and select Trigger if ALL of the following conditions are satisfied. C. Create two separate alarms, one for CPU and one for memory and link them together with ESXCLI. D. Delete the existing alarm and create a new event based alarm. Answer: A

QUESTION 52 What may be a cause for failure to unmount an NFS datastore? A. It has active snapshot files. B. It is being used for High Availability (HA) heartbeat. C. It is part of a Cluster. D. It is managed by Distributed Resource Scheduler (DRS). Answer: A

QUESTION 53 Which two statements are true about deploying and using vSphere Replication? (Choose two.) A. ESXi hosts managed by a single vCenter Server instance require a connection between the two vSphere Replication appliances. B. Sites managed by different vCenter Server instances require a connection between the two vSphere Replication appliances. C. Sites managed by different vCenter Server instances require the use of Site Recovery Manager and a connection between the two vSphere Replication appliances. D. ESXi hosts managed by a single vCenter Server instance require a single vSphere Replication appliance. Answer: BD

QUESTION 54 An attempt to enable vSphere Fault Tolerance for a powered-on virtual machine fails. Which two scenarios would result in this failure? (Choose two.) A. The virtual machine has three vCPUs configured.

B. The host on which the virtual machine is running has insufficient memory resources.
C. The virtual machine has insufficient resources to accommodate full reservation plus the overhead memory.
D. VMware High Availability is enabled on the cluster of which this host is a member. Answer: BC

QUESTION 55 A Fault Tolerance (FT) virtual machine with four vCPUs is experiencing high latency when performing ICMP and Application tests. What are three potential causes that may be attributing to this latency? (Choose three.) A. The FT network has insufficient bandwidth and is running on a 1GB Link. B. The FT network is on a particularly high latency link. C. The FT network has been configured with Network I/O Control. D. The FT virtual machine is running an e1000 network adapter. E. The FT virtual machine is running on poor performing network-based storage. Answer: ABC

QUESTION 56 VMware tools is failing to install on a Microsoft Windows virtual machine. What are two possible situations that would prevent the installation? (Choose two.) A. The VMware tools installation media is corrupt. B. The incorrect Operating System was selected in the virtual machine options. C. The software prerequisites have not been installed. D. The prerequisite services have not been started. Answer: AB


QUESTION 57 What is true regarding datastores on ESXi 6.x? A. NFS 4.1 datastore does not support Fault Tolerance (FT) B. VMFS3 and VMFS5 datastores can be newly created C. NFS datastore can be concurrently mounted using NFS 4.1 on one host and NFS on another D. NFS 3.0 datastore does not support Fault Tolerance (FT) Answer: A

QUESTION 58 An administrator is performing a scripted installation of ESXi 6.x. In which three locations does the script need to be? (Choose three.) A. PXE Server B. HTTPS C. FTP D. NFS E. VVOLs Datastore Answer: BCD

QUESTION 59 Which three features are not supported when using Fault Tolerance in vSphere 6.x? (Choose three.) A. Virtual Volumes (VVOLs) B. Storage vMotion C. Virtual Machine Component Protection D. vMotion E. vSphere Distributed Switches Answer: ABC

QUESTION 60 Refer to the Exhibit. An administrator is configuring an ESXi 6.x host to use multiple NICs to resolve a management network redundancy error. After configuring a second NIC, the server is not able to communicate when the primary connection is taken down. The administrator analyzes the Exhibit shown here.

Physical adapters



The screenshot shows the 'Physical Adapters' configuration page in an ESXi host. At the top, there are icons for adding, removing, and editing adapters. Below is a table listing five network adapters (vmnic0 to vmnic4) connected to an Intel Corporation 82545EM Gigabit Ethernet Controller (Copper). vmnic0, vmnic1, and vmnic3 are connected to vSwitch0, while vmnic2 and vmnic4 are connected to vSwitch1. All adapters are set to 'Auto negotiate' speed. A 'Physical network adapter: vmnic0' section is expanded at the bottom, showing details like the adapter name, location (PCI 0000:02:00.0), and driver (e1000).

Device	Actual Speed	Configured Speed	Switch	MAC Address
Intel Corporation 82545EM Gigabit Ethernet Controller (Copper)				
vmnic0	1000 Mb	Auto negotiate	vSwitch0	00:50:56:00:00:00
vmnic1	1000 Mb	Auto negotiate	vSwitch0	00:50:56:00:00:00
vmnic2	Down	Auto negotiate	vSwitch1	00:50:56:00:00:00
vmnic3	1000 Mb	Auto negotiate	vSwitch1	00:50:56:00:00:00
vmnic4	1000 Mb	Auto negotiate	—	00:50:56:00:00:00

Physical network adapter: vmnic0

All	Properties	CDP	LLDP
Adapter	Intel Corporation 82545EM Gigabit Ethernet		
Name	vmnic0		
Location	PCI 0000:02:00.0		
Driver	e1000		

Based on the exhibit, what is the likely cause of the issue? A. vmnic4 is not attached to a vSwitch.
B. vmnic2 is not connected to a physical switch. C. E1000 is the incorrect NIC Driver for this card. D. There is a MAC address conflict on the network. Answer: B

Why Not Try PassLeader

Pass4sure PL

173 Q&As
Price: \$125.99

BONUS Free

<http://www.passleader.com/2v0-620.html>